

**COLLEGE OF CHEMISTRY (herein called "CChem" or "owner")
UNIVERSITY OF CALIFORNIA, BERKELEY
FINISHES SPECIFICATION
REV. 3/9/05**

PART 1 STANDARD FINISHES (unless specified otherwise for specific project)

1.01 FLOORING

- A. Lab Floors, Latimer (above grade)
Armstrong Medintech Homogeneous Vinyl Sheet Flooring (no known equal)
86495 Carthamus Champagne

Rubber base around casework
503 Ginger
- B. Lab Floors, Latimer sub-basement (**slab on grade ONLY**)
Armstrong Medintech Tandum Homogeneous Vinyl Sheet Flooring (no known equal)
91495 Carthamus Champagne

Rubber base around casework
503 Ginger

1.02 PAINT

- A. Lab Interiors
Fuller O'Brien, New Whisper White (unless specified otherwise)

1.03 WINDOW COVERING

- A. Labs and Offices, all buildings
Levelor mini-blinds (or known equal)
Dover

1.04 LABORATORY CASEWORK

- A. Wood Casework
Red Oak
"Natural" (Based on Fisher Hamilton color chart; equivalent color as approved.)
- B. Casework Tops, including fume hood tops (1" epoxy)
Black
- C. Shelving (chemical resistant plastic laminate)
Black
- D. Fume Hoods
Steel
"Chameleon" (Based on Fisher Hamilton color chart; equivalent color as approved.)
- E. Hood Base Cabinets (Specialty and Non-specialty cabinets)
Paint to match hood.
Provide code-required labeling as needed.

1.05 METAL CHANNEL FRAMING SYSTEM

- A. Metal Channels and Brackets
Factory powder coated; white